



ONE OF THE MOST PROFESSIONAL MANUFACTURERS IN CHINA



TAIZHOU BOER TOOLS CO.,LTD
WWW.BOERTOOLS.COM



COMPANY PROFILE

Taizhou Boer Tools Co., Ltd is an enterprise integrated production, sales, exporting and trading, which is established up in 2008. and owns rich experience of developing and manufacturing excellent items.

our main products had been categorized air spray gun, automatic spray gun, electric spray gun, airbrush and mini compressor, airless paint sprayer and other painting equipment, pneumatic tools, air sander, air nail gun, as well as other tire inflating gun, washing gun, blow dust gun etc relative tools.

90% of our products are marketed to more than 30 countries, such as Europe, East Asia, Mid East, South America, Africa and Australia etc. wish to establish more markets around the world, and a long-term business with global customers. we are your best partner.



AUTOMATIVE COATING SPRAY GUN

- *The low volume and medium pressure atomization technology is adopted to offer a unified atomizing effect, thus enabling a fast and efficient spraying;
- *5%-15% paint can be saved as compared with a common spray gun;
- *Few or no over spraying;
- *reduce the pollution of the environment;
- *Stainless steel nozzle and needle offer a long life time and for applying large quantities of material;

TBS111 green

Technical Data:

Waterborne Finishing

Feed Type:	gravity
Working Pressure:	2.0bar/29psi
Air Consumption:	9.4cfm
Pattern Width:	250mm
Cup Size:	600ml
Nozzle Size:	1.3mm
Nozzle&needle :	S/S
Air Inlet:	1/4" BSP/NPT





AUTOMATIC COATING SPRAY GUN

TBS111 silver

Technical Data:

Waterborne Finishing

Feed Type:	gravity
Working Pressure:	2.0bar/29psi
Air Consumption:	9.4cfm
Pattern Width:	250mm
Cup Size:	600ml
Nozzle Size:	1.3mm
Nozzle&needle :	S/S
Air Inlet:	1/4"BSP/NPT

- *The low volume and medium pressure atomization technology is adopted to offer a unified atomizing effect, thus enabling a fast and efficient spraying;
- *5%-15% paint can be saved as compared with a common spray gun;
- *Few or no over spraying;
- *reduce the pollution of the environment;
- *Stainless steel nozzle and needle offer a long life time and for applying large quantities of material;





AUTOMATIVE COATING SPRAY GUN

TBS111 blue

Technical Data:

Waterborne Finishing

Feed Type:	gravity
Working Pressure:	2.0bar/29psi
Air Consumption:	9.4cfm
Pattern Width:	250mm
Cup Size:	600ml
Nozzle Size:	1.3mm
Nozzle&needle :	S/S
Air Inlet:	1/4"BSP/NPT

- *The low volume and medium pressure atomization technology is adopted to offer a unified atomizing effect, thus enabling a fast and efficient spraying;
- *5%-15% paint can be saved as compared with a common spray gun;
- *Few or no over spraying;
- *reduce the pollution of the environment;
- *Stainless steel nozzle and needle offer a long life time and for applying large quantities of material;

TBS111 black

Technical Data:

Waterborne Finishing	
Feed Type:	gravity
Working Pressure:	2.0bar/29psi
Air Consumption:	9.4cfm
Pattern Width:	250mm
Cup Size:	600ml
Nozzle Size:	1.3mm
Nozzle&needle :	S/S
Air Inlet:	1/4"BSP/NPT



- *The low volume and medium pressure atomization technology is adopted to offer a unified atomizing effect, thus enabling a fast and efficient spraying;
- *5%-15% paint can be saved as compared with a common spray gun;
- *Few or no over spraying;
- *reduce the pollution of the environment;
- *Stainless steel nozzle and needle offer a long life time and for applying large quantities of material;



**AUTOMATIC COATING
SPRAY GUN**



AUTOMATIVE COATING SPRAY GUN

TBS111 violet

Technical Data:

Waterborne Finishing

Feed Type:	gravity
Working Pressure:	2.0bar/29psi
Air Consumption:	9.4cfm
Pattern Width:	250mm
Cup Size:	600ml
Nozzle Size:	1.3mm
Nozzle&needle :	S/S
Air Inlet:	1/4"BSP/NPT

- *The low volume and medium pressure atomization technology is adopted to offer a unified atomizing effect, thus enabling a fast and efficient spraying;
- *5%-15% paint can be saved as compared with a common spray gun;
- *Few or no over spraying;
- *reduce the pollution of the environment;
- *Stainless steel nozzle and needle offer a long life time and for applying large quantities of material;

EXCELLENT GREEN SPRAY GUN



H-777P



mini H-777P



H-931P



H-808G



AB-17A



H-887P



AB-17SA



H-887S



K350



H-777P+MINI H-777P KIT



H-777P+K350 KIT

FURNITURE COATING SPRAY GUN



KW-71G



KW-77G



KW-71S



KW-77S



NEW-71G



NEW-77G



W-71P



W-77P



NEW-77S



NEW-71S



W-71A



NK-2



H.V.L.P. SPRAY GUN



Application:
Topcoat Painting, varnish or color paint
Feed Type: Gravity
Air Pressure: 3.5bar/50psi
Air Cons.: 14.5cfm
Pattern Width: 24cm
Cup Size: 600ml plastic
Nozzle Size: 1.4,1.8,2.0mm
Air Inlet: 1/4"

H.V.L.P. SPRAY GUN



H-827A



H-827H



H-827P



H-827B



H-881P



H2008-2



H2008-4



H-601P



H-960A



AB-17P



AB-17S



K-665S

MINI H.V.L.P./L.V.L.P.SPRAY GUN



H-602P



H-2000P



H-2000G



L100

L.V.L.P. SPRAY GUN



L500



R500



MP-410G



H-989P



L200



MP-410S



R200

HIGH PRESSURE SPRAY GUN



Application:
Auto painting, Metalwork Painting, decoration painting.
Feed Type: Gravity
Air Pressure: 3.0bar/45psi
Air Cons.: 4.5-8cfm
Pattern Width: 20cm
Cup Size: 600ml
Nozzle Size: 1.2, 1.5, 1.8mm
Air Inlet: 1/4"

HIGH PRESSURE SPRAY GUN



4001P



4001B



4001D



4001



4001G



PQ-2



PQ-2UA



W871



S-990S



S-990P



E70S



K-100G

HIGH PRESSURE SPRAY GUN



F-75G



W-71G



W-77G



S-770G



F-75S



W-71S



W-77S



S-770S

MINI SPRAY GUN



K-3



F-2



F-3

LOW PRESSURE SPRAY GUN



SG112



527



472

AIR HOPPER



D001



D001A



D001B



D002

AIR PLASTER GUN



D011

for wall



D011A

with 4pcs steel 11 mm nozzles



D011E

for wall&ceiling



D011B

for ceiling

SPRAY GUN KIT



H-827K



H-2000K



3PCS-1



3PS-2



7PCS-2



21PCS KIT



23PCS KIT

AUTOMATIC SPRAY GUN



WA101

Air Pressure: 0.29Mpa/3.0bar
 Paint Output: 150-310 ml/min
 Air Cons.: 145-270L/min
 Pattern Width: 190-245mm
 Nozzle Size: 0.8/1.0/1.3/1.5/1.8mm



WA200

Air Pressure: 0.29Mpa/3.0bar
 Paint Output: 270-500 ml/min
 Air Cons.: 330-530L/min
 Pattern Width: 240-400mm
 Nozzle Size: 1.2/1.5/1.8/2.0/2.5mm



A100

Air Pressure: 0.29Mpa/3.0bar
 Paint Output: 150-310 ml/min
 Air Cons.: 145-270L/min
 Pattern Width: 190-245mm
 Nozzle Size: 0.8/1.0/1.3/1.5/1.8mm



AL100

Air Pressure: 0.29Mpa/3.0bar
 Paint Output: 140-350ml/min
 Air Cons.: 430-530L/min
 Pattern Width: 200-270mm
 Nozzle Size: 0.8/1.0/1.2mm



A101

Air Pressure: 0.29Mpa/3.0bar
 Paint Output: 140-350ml/min
 Air Cons.: 430-530L/min
 Pattern Width: 200-270mm
 Nozzle Size: 0.8/1.0/1.2mm



ST-9

Max Pressure: 0.7Mpa
 Air Working Pressure: 0.1-0.4Mpa
 On/off Pressure: 0.35-0.5Mpa
 Fluid Hose Size: 6x4mm
 Pattern Hose Size: 6x4mmx2
 (for remote adjust)
 8x6mm(for hand adjust)
 Nozzle Size: 0.7/1.1/1.6/2.2mm



ST-5

Air Pressure: 0.29Mpa/3.0bar
 Paint Output: 60-250ml/min
 Air Cons.: 60-80L/min
 Pattern Width: 200-250mm
 Nozzle Size: 0.5/1.0mm



ST-6

Air Pressure: 0.29Mpa/3.0bar
 Paint Output: 360-600ml/min
 Air Cons.: 100-140L/min
 Pattern Width: 350-400mm
 Nozzle Size: 1.3/2.0mm

AIR DRYER GUN



BA190

Industrial Air Dyer Gun
 for painting line
 Working Pressure: 5bar
 Max Pressure: 12bar
 Air Cons.: 7-11cfm



BA470

DIY Air Dyer Gun
 for painting work
 Working Pressure: 2-6bar
 Max Pressure: 12bar
 Air Cons.: 6-8cfm

ELECTRIC PAINT SPRAYER



ES01

Power: 550W
 Speed: 32,000rpm,
 Cup: 800mL
 Nozzle: 1.8mm
 Max. Viscosity: 80 DIN-Secs



ES02

Power: 600W
 Working pressure: 0.1-0.2bar
 Cup: 800mL
 Nozzle: 1.8mm
 Suitable for paint: 50din/sec



ES03

Power: 800W
 Fluid Delivery: 800ml/min
 Cup: 800ML
 Nozzle: 1.8mm
 Suitable for paint: 90din/sec



ES03A

Power: 800W
 Fluid Delivery: 800ml/min
 Cup: 800ML
 Nozzle: 1.8mm
 Suitable for paint: 60din/sec



ES03B

Power: 100W
 Air Pressure: 0.1-0.3bar
 Max Fluid Delivery: 250ml/min
 Cup Capacity: Plastic 1000ML
 Nozzle size: 0.5MM,0.8MM
 Load Speed: 29000rpm



ES03D

Power: 75W
 Air Pressure: 0.8Mpa
 Max Fluid Delivery: 200ml/min
 Cup Capacity: Plastic 600ml
 Nozzle size: 0.8MM



ES04-380

Power: 85W
 Cup: 800mL
 Nozzle: 1.8MM
 Max. Viscosity: 80 DIN-Secs
 Motor Speed r.p.m: 32,000rpm,



ES06-350

Power consumption: 350W
 Cup: 1000mL
 Nozzle: 2.5mm
 Max. Viscosity: 80 DIN-Secs
 Motor Speed r.p.m: 32,000rpm,



ES8005

Power: 130W
 Air Pressure: 0.1-0.3BAR
 Max Fluid Delivery: 280ml/min
 Cup Capacity: Plastic 800ml
 Nozzle Size: 0.8MM
 Load Speed: 29000rpm



ES08G

Power: 650W
 Max Viscosity: 130DIN-Secs
 Cup Capacity: plastic 800ml
 Length of Flexible Air hose: 1.5M
 Nozzle Size: 2.5mm
 Load Speed: 32000rpm
 with 1pc 1.5M tube, 1pc belt, 1pc viscosity cup



ES06 Li-Ion spray gun

Output Voltage: DC40V
 Battery: 2000mAh LI-Ion
 Max Viscosity: 60DIN-S
 Max delivery: 900ml/min
 Cup: 1000ml
 Charging time: about 1 hour
 Nozzle size: 1.8mm
 Spraying Distance: 300mm
 NW: 2.0kg

AIRLESS PAINT SPRAYER



T300

Power: 1500W
Voltage: 220 - 240V/50HZ
Max air pressure: 250Bar
Max fluid delivery: 2.2 L/Min
nozzle size: 0.517"
weight: 23Kg



T400

Power: 1500W
Voltage: 220 - 240V/50HZ
Max air pressure: 330Bar
Max fluid delivery: 2.6 L/Min
nozzle size: 0.023"
weight: 24Kg



T500

Power: 2200W
Voltage: 220 - 240V/50HZ
Max air pressure: 250Bar
Max fluid delivery: 3.2 L/Min
nozzle size: 0.050"
weight: 21Kg



M819

Power: 900W
Voltage: 220 - 240V/50HZ
Max air pressure: 200Bar
Max fluid delivery: 1.9 L/Min
nozzle size: 0.017"
weight: 26Kg



KP450E

Power: 1700W
Voltage: 220 - 240V/50HZ
Max air pressure: 200Bar
Max fluid delivery: 2.4 L/Min
nozzle size: 0.050"
weight: 17Kg



C980/990

Power: 2000/3000W
Voltage: 220 - 240V/50HZ
Max air pressure: 250Bar
Max fluid delivery: 12 L/Min-18L/Min
nozzle size: 0.050"
weight: 45Kg



PT7000

Power: 4000W
Volt: 220-240V
Max Fluid Delivery: 25L/min
spraying distance: 300-400mm
Nozzle Size: 0.043"
NW: 105kgs



439E

Power: 3000W
Volt: 220-240V
Max Fluid Delivery: 8L/min
spraying distance: 500mm
Nozzle Size: 0.039"/0.027"
NW: 95kgs



ZS5.5 Liner Marker Machine

Power: 5.5HP
Output Pressure: 250bar
Volt: 220-240V
Max Fluid Delivery: 18L/min
spraying distance: 300-400mm
Nozzle Size: 317
NW: 55kgs

AIRLESS SPRAY GUN & ACCESSORIES



A2



A3



J90-F



330



821



818



812



R816



G6



J90-S



SPQ-1



SPQ911



R002

Airless Paint Roller
Size: 25x110cm
NW: 1.0kg
extension bar:
30/50/75/100cm



A10

Extension bar
Size(mm):
12x20, 12x30, 12x60,
12x75, 12x100, 12x120,
12x150, 16x50, 16x75,
16x100, 16x120, 16x150,
16x200, 16x300



A5

Anti-Splashing Flapper



A15

Gun Tip Extension with
double nozzles

AIRLESS SPRAY GUN & ACCESSORIES



A1

filter for fluid



A4

Reversible tip guard



A6

gun tip
Orifice Size: 513-635, 209-217
etc optional
Fan pattern: 8"-10"



A7

Filter for airless gun



A8

gun steering connector



A9

piston pump filter



A11

durable flexible airless paint hose
(3000psi/207bar)



A12

tip seals



A13

Universal joint for
airless spray gun



A14

Angle nozzle



R001

Electric Paint Roller
roller size: 9"=230mm
brush hair length: 8-10mm
including:
1pc motor, 1pc line, 1pc roller, 1pc filter tube



R710

Electric Wall Polisher
Power: 710W
Voltage: 220V/50HZ
Speed: 1000-2000rpm
suitable sanding paper:
80/100/120/150/180/240
accessories:
4M vacuum hose, 2pcs vacuum adaptor,
1pc 38mm-47mm adaptor

AIR PRESSURE PAINT TANK



W200PT



W101PT



W71PT



W77PT



PT-2

2L paint tank with valve



PT-2H-2U

2L paint tank with PQ-2UA spray gun
Hose: PU ,3M, 2pcs



PT-2H-77

2L paint tank with W-77A spray gun
Hose: PU ,3M, 2pcs



PT-8

10L paint tank with valve



PT-8H-2U

10L paint tank with PQ-2UA spray gun
Hose: PVC ,3M, 2pcs



PT-8H-77

10L paint tank with W-77A spray gun
Hose: PU ,3M, 2pcs



PT-8H-200T

Teflon coating for tank
10L paint tank with W200PT spray gun
Hose: rubber ,10M, 2pcs



PT-15B/PT-10B

10L & 15L paint tank with valve
Bottom fluid outlet



PT-15S/PT-10S

Stainless steel material
10L & 15L paint tank

AIR PRESSURE PAINT TANK



PT-2.5

2.5L paint tank with valve



PT-5H-77

5L paint tank with W-77A spray gun



PT-10H

10L paint tank with inner S/S tank
Mixing type: hand



PT-20H

20L paint tank with inner S/S tank
Mixing type: hand



PT-40H

40L paint tank with inner S/S tank
Mixing type: hand



PT-10A

10L paint tank with inner S/S tank
Mixing type: pneumatic



PT-20A

20L paint tank with inner S/S tank
Mixing type: pneumatic



PT-40A

40L paint tank with inner S/S tank
Mixing type: pneumatic



PT-60A

60L paint tank with inner S/S tank
Mixing type: pneumatic

AIR PRESSURE PAINT TANK



Stainless Steel Dispensing Tank

Material: carbon steel, #201 S/S, #304 S/S
 Capacity: 1L, 2L, 3L, 4L, 5L, 8L, 10L, 15L, 20L, 25L, 30L, 40L
 Carbon steel tank can match with an inner S/S tank



PT-65L PT-90L

Apply to stone-like painting, cement mortar, hopping paint, putty and plaster.

Features:

1. V type fluid outlet design to reach utilization percent to 98%
2. Double gun connectors to improve work efficiency.
3. Tank is Teflon coating treatment.
4. Two wheels for heavy working project.
5. Optional spray gun with long bar and standard plaster gun.

Technical Data:

Air Pressure:	0.56-0.75bar
Working Pressure:	0.55-0.7bar
Tank:	65L & 90L
Max Fluid Delivery:	1.5kg/min
Nozzle Size:	4mm, 6mm, 8mm
Stone-like coating:	60-100m ² /hour
Putty:	150-200m ² /hour
Mortar:	500m ² /hour
NW:	30-38kgs

AIR AGITATOR



AP-1

Power: 1/8HP
 Free Speed: 2500r/min
 Max. Torque: 0.95N.m
 Paint Barrel: 20L/5Gallon
 Axes Size: 45cm
 Vane Size: 4"



AP500 AP550

Power: 1/8HP, 1/4HP
 Free Speed: 2500r/min, 1500r/min
 Max. Torque: 0.95N.m, 1.70N.m
 Paint Barrel: 200L/25Gallon,
 400L/50Gallon
 Axes Size: 95cm
 Vane Size: 6"x2



AP-004M

Power: 1/2 HP 5cylinders
 Free Speed: 600r/min
 Max. Torque: 2.5N.m
 Paint Barrel: 400L/100Gallon
 Axes Size: 1.5*90cm
 Vane Size: 6"x2 alu alloy



AP-100

Power: 1/8HP
 Free Speed: 2500r/min
 Max. Torque: 0.95N.m
 Paint Barrel: 20L/5Gallon
 Axes Size: 43cm
 Vane Size: 4"
 Bunton length: 32cm



AP-200

Power: 1/4HP
 Free Speed: 1500r/min
 Max. Torque: 1.70N.m
 Paint Barrel: 20L/5Gallon
 Axes Size: 88cm
 Vane Size: 6"x2
 Bunton length: 60cm



AP-6

Power: 1/8HP
 Free Speed: 2500r/min
 Max. Torque: 0.95N.m
 Paint Barrel: 20L/5Gallon
 Axes Size: 45cm
 Vane Size: 4"/6"
 Hoist: 400mm



AP-600

Self Elevation Elevating Air Agitator
 Power: 1/8HP
 Free Speed: 2500r/min
 Max. Torque: 0.95N.m
 Paint Barrel: 20L/5Gallon
 Axes Size: 45cm
 Vane Size: 4"/6"
 Hoist: 400mm



AP300

Power: 1/2HP
 Air Pressure: 0.63Mpa
 Free Speed: 600r/min
 Max. Torque: 2.60N.m
 Paint Barrel: 20L
 Axes Size: 12x500mm
 Vane Size: 4"
 Depth: 47cm



AP-502

Oil Drum Special Agitator
 Power: 1/4HP
 Free Speed: 1500r/min
 Max. Torque: 1.70N.m
 Paint Barrel: 200L/50Gallon
 Axes Size: 88cm
 Vane Size: 10" x2 S/S
 Bunton size: 60cm



AP-505T

Transportable Agitator
 Power: 1/4HP
 Free Speed: 1500r/min
 Max. Torque: 1.70N.m
 Paint Barrel: 200L/50Gallon
 Axes Size: 96cm
 Vane Size: 6" x2
 Bunton size: 67*106-180cm

PROFESSIONAL CHEMICAL IBC AIR AGITATOR

AP004

IBC tank agitator

Power: 1/2HP

Free Speed: 1300r/min

Max. Torque: 2.94.m

Paint Barrel: 200-1000L

Axes Size: 1.5x96cm

Vane Size: S/S 10" x2

Width: 72-120cm



AP350

IBC tank agitator

Power: 1HP

Free Speed: 1000r/min

Max. Torque: 4.80N.m

Paint Barrel: 200-1000L

Axes Size: 1.5x96cm

Vane Size: S/S 10" x2

Width: 72-120cm



AIR DP PUMP



A15

Input: 3/8"
Max Pressure: 7bar
Starting Pressure: Planar valve 1.6bar,
 low pressure valve 0.5bar
Max Flow Rate: 18L/min
Max Pump Speed: 300cpm
Cycle Capacity each: 0.06L
Partical Max Dia: 2mm
lift range: 6.4M wet, 3.7M dry



A20

Input: 1/2"
Max Pressure: 7bar
Starting Pressure: Planar valve 1.6bar,
 low pressure valve 0.5bar
Max Flow Rate: 42L/min
Max Pump Speed: 400cpm
Cycle Capacity each: 0.15L
Partical Max Dia: 3mm
lift range: 3.4M wet, 3.7M dry



A26

Input: 3/4"
Max Pressure: 7bar
Starting Pressure: Planar valve 1.6bar,
 low pressure valve 0.5bar
Max Flow Rate: 60L/min
Max Pump Speed: 400cpm
Cycle Capacity each: 0.15L
Partical Max Dia: 3mm
lift range: 6.4M wet, 3.7M dry



AP-3

Press Rate: 1:1
Caliber: 3/8"
Paint Barrel: 5-50L
Conveying: 7.5-10.5L/min
Allow Granule: 1mm
Pump Speed: 80-160cpm
Flat bad size: 42x44x51cm



AP-3H

Press Rate: 1:1
Caliber: 3/8"
Paint Barrel: 5-50L
Conveying: 7.5-10.5L/min
Allow Granule: 1mm
Pump Speed: 80-160cpm
Flat bad size: 40x42x53cm



AP-3S

Press Rate: 1:1
Caliber: 1/2"
Paint Barrel: 50L
Conveying: 42L/min
Allow Granule: 1.5mm
Pump Speed: 80-160cpm
Flat bad size: 42x44x48cm



AP-4

Auto-egitating DP Pump
Press Rate: 1:1
Caliber: 3/8"
Paint Barrel: 5-50L
Conveying: 7.5-10.5L/min
Allow Granule: 1mm
Pump Speed: 80-160cpm
Flat bad size: 48x44x51cm



TMH-1-4, 1-8

Air Motor
Power: 1/4HP, 1/8HP
Air Pressure: 0.63Mpa
Free Speed: 1500r/min, 2500r/min
Max Torque: 3.43N.m, 1.07N.m
Air Cons.: 310L/min, 180L/min
Net Weight: 2.7kgs, 1.6kgs



MJ-1-4, 1-8

Air motor with axle and propeller
Power: 1/8HP, 1/4HP

AIRBRUSH



B-116



B-128



B-130



B-135



B-138



B-158



B-180



B-182



B-130K



B-180K



B-182K



B-116K



BD-12

Airbrush Mini Filter



BD-888

Airbrush 3 in 1 cleaning pot



AH-24

Airbrush Braided Hose



BD-68

Airbrush Wash-needle

HANDHELD AIRBRUSH

BPH-054

Specification:

Multi-function spray kit, can be widely used for skin care, nail art, cake decorating, scalp care and model painting.

Air Flow: 10L/min
 Working Pressure: 2-15psi
 Adaptor: 5V 1A
 Battery: Lithium-Ion 3.7V 1300mAh
 ON/OFF: 5min/time
 Packing: gift box

Including accessories:

1pc needle, 1pc USB charging cable, 1pc 2CC metal cup, 1pc 15CC plastic cup



SLOW SPEED



FAST SPEED



JYD-130

Voltage: DC12V 50HZ/60HZ
 Work Pressure: 2-11 Psi (pressure adjustable)
 Air Flow: 7L /Min
 Light: 2 speed button control
 Battery capacity: 500 mah
 Fully charge time: around 2 hours
 Working Time: 50 mins
 Nozzle Dia: 0.3,0.5mm
 Cup Capacity: 3CC, 5CC, 20 cc plastic



JYD-201

Working Pressure: 5-50psi
 Feed type: bottom feed
 Funnel cover: 1pc
 Bottle: 1pc
 Nozzle screw: 1pc
 Cup: 30CC
 Nozzle: 0.2,0.3mm0.4mm



JYD-203

Voltage: DC12V 50HZ/60HZ
 Work Pressure: 2-11 Psi (pressure adjustable)
 Air Flow: 7L /Min
 Battery capacity: 500 mah
 Fully charge time: around 2 hours
 Working Time: 50 mins
 Nozzle Dia: 0.3/0.35/0.5mm
 Cup Capacity: 20 cc plastic
 With USB charging cable



JYD-101P

Working Pressure: 5-50psi
 Feed type: gravity
 Funnel cover: 1pc
 Bottle: 1pc
 Nozzle screw: 1pc
 Cup: 3CC/5CC
 Nozzle: 0.2,0.3mm0.4mm

AIRBRUSH COMPRESSOR



AS18

Power: 1/6 HP
 Air output: 23-25L/min
 Max. pressure: 6.5bar/95psi
 Net Weight: 3.5KG



AS18K

AS18 Mini Compressor+ B-130
 Power: 1/6 HP
 Air Flow: 20-23L/min
 Auto Start: 3.0bar/43psi
 Auto Stop: 4.0bar/57psi
 Cylinder Dia.: 40, 1pc
 Cable Length: 1.7M



AS06

Power: 1/4HP
 Speed: 1450cpm- 1700cpm
 Supply Air Construction: Membrane
 Air Flow: 65-68L/min
 Max Pressure: 3.5bar/50psi
 Net Weight: 4.5kgs



AS06K-1

Power: 1/4HP
 Speed: 1450cpm- 1700cpm
 Supply Air Construction: Membrane
 Air Flow: 65-68L/min
 Max Pressure: 3.5bar/50psi
 With 472 model low pressure Spray Gun
 Pattern Width: 30cm
 Cup Size: 750ml aluminum
 Nozzle Size: 1.0, 1.3, 1.5mm



AS09

Power: 1/2HP
 Speed: 1450cpm- 1700cpm
 Supply Air Construction: Membrane
 Air Flow: 128-135L/min
 Max Pressure: 3.5bar/50psi
 Net Weight: 9kgs



AS09K-1

Power: 1/2HP
 Speed: 1450cpm- 1700cpm
 Supply Air Construction: Membrane
 Air Flow: 128-135L/min
 Max Pressure: 3.5bar/50psi
 With 472 model low pressure Spray Gun
 Pattern Width: 30cm
 Cup Size: 750ml aluminum
 Nozzle Size: 1.0, 1.3, 1.5mm



AS186

Power: 1/6HP
 Speed: 1450cpm- 1700cpm
 Tank Capacity: 3L
 Air Flow: 20-23L/min
 Auto Start Pressure: 3.0bar/43psi
 Auto Stop Pressure: 4.0bar/57psi
 Net Weight: 5.2kgs



AS196K

AS189 Mini Compressor+ B-130
 Power: 1/4HP
 Speed: 1450, 1700
 Air Flow: 35-40L/min
 Tank: 3.5L
 Auto Start: 3.0bar/43psi
 Auto Stop: 4.0bar/57psi
 Cylinder Dia: 40, 2pcs



AS18W

Power: 1/6HP
 Speed: 1450cpm- 1700cpm
 Supply Air Construction: Piston
 Air Flow: 20-23L/min
 Max Pressure: 7bar/100psi
 Net Weight: 3.4kgs

AIR TIRE INFLATING GUN



TG-1



TG1B

oil pressure gauge



TG-2



TG-2P



TG-3



TG-4



TG-5



TG-6



TG-7



TG-7B

oil pressure gauge



TG-8



TG-9



TG-10



TG-2B



TG-3B



TG-4B

AIR BLOW DUST GUN



DG-10-1



DG-10-2



DG-10-3



DG-10B-1



DG-10B-2



DG-10B-3



DG-10C



AR-TS



K601-1



K601-2



K601-3



DG-9F



BG-1



DG-11



DG-602



DG-162

AIR BLOW DUST GUN KIT



DG-163



DG-10P



DG-08



DG-10S



DG-10K



DG-10BK



DG-10KA



DG-14K



DG-21K



BG-7K



DG-160K



BG-3K



AD-602

Air blow dust& vacuum Gun
 Vacuum Air Pressure: 6Kpa
 Working Pressure: 90psi
 Air Coms.: 10cfm
 NW: 0.56kg



AD-603

Air blow dust& vacuum Gun Kit
 Vacuum Air Pressure: 6Kpa
 Working Pressure: 90psi
 Air Coms.: 3.36cfm
 NW: 1.5kg

AIR WASHING GUN&CAR FOAM WASHING GUN



DO-9A



DO-9B



DO-10E



DO-4



L1



L2



L3



L6



DO-8C



DO-9C



DO-671



L280



L111



L380



L55

AIR SANDBLAST GUN&UNDERCOATING GUN&FOAM GUN&GREASE GUN



PS-1



PS-2



PS-3



PS-4



PS-5



PS-6



PS-7



PS-8



FG02



FG03



FG04



FG05



GG01



GG02



GG03

AIR COMPRESSOR GUN KIT



5PCS-1



5PCS-2



5PCS-3



5PCS-4



5PCS-6



5PCS-7



8PCS-1



5PCS-5



6PCS-1

AIR SANDER



PT680



PT680V



PT716



PT716V



PT715V



PT714



PT713



PT718



PT3013



PT3013V



PT780-5



PT780V-5



PT780-4



PT616



PT116



PT225

AIR SANDER



PT225V



PT227V



PT209V



PT343D



PT343



PT518



PT321



PT941



AT942



AT501



AT216



AT503



AT504



5 7/8" Non-vacuum Pad



2 3/4" Non-vacuum Pad



5 7/8" Vacuum Pad

DUST FREE CAR SANDING SYSTEM



DF101

Voltage: 220V +/-10%,60Hz
 Power: 1200W
 Negative Pressure: average 2200mmwater
 Air Flow: 2.8m³/min
 Vacuum: 20L



DF102

Voltage: 220V +/-10%,60Hz
 Power: 1400W
 Negative Pressure: average 2200mmwater
 Air Flow: 2.8m³/min
 Vacuum: 35L



DF008

Dust Free Sanding Tool
 Size: 70*125mm



DF009

Dust Free Sanding Tool
 Size: 70*198mm



DF001

4" Handle sanding block



DF002

6" Handle sanding block



DF003

70*135mm Handle sanding block



DF004

70*198mm Handle sanding block



DF005

75*125mm Handle sanding block



DF006

90*150mm Handle sanding block

PNEUMATIC TOOLS



AT-A680

1" square drive impact wrench
(TWIN hammer)
Max torque: 15 60N-m
Bolt capacity: 32mm



DK790

1" square drive impact wrench
(pinless hammer)
Max torque: 2200N-m
Bolt capacity: 38mm



DK8810

1" square drive impact wrench
(pinless hammer)
Max torque: 2800N-m
Bolt capacity: 41mm



DK5078

1" square drive impact wrench
(pinless hammer)
Max torque: 2800N-m
Bolt capacity: 48mm



DK1208

1/2" Air Impact Wrench
(Twin Hammer)
Max torque: 585Nm



DK3000

1/2" Air Impact Wrench
Max. Torque: 850n.m



DK3300

1/2" Air Impact Wrench
(twin hammer)
Max. Torque: 850n.m



DKA661

3/4" Air Impact Wrench
Max. Torque: 1360n.m



DK 680B

3/4" Air Impact Wrench
(twin hammer)
Max. Torque: 1650n.m



D3880

1/2" Air Impact Wrench
(twin hammer)
Max. Torque: 950n.m



AT301

1/2" Air Impact Wrench
Max. Torque: 850n.m



AT309

1/2" Air Impact Wrench
(twin hammer)
Max. Torque:
500Ft-lb, 680n.m



AT306

3/8" Mini
Air Ratchet Wrench
Max. Torque:
25Ft-lb, 34n.m



AT8022

1/4" Air Ratchet Wrench
Max. Torque: 16ft-lbs



AT205

3/8" Reversible Air Drill
Free speed: 1800RPM



AT702

1/8" & 1/4" Air Die Grinder
Free speed: 23000rpm



AT703

Micro Air Die Grinder
Collet: 3mm
Free Speed: 35000rpm



AD251

Air Eight Disc Machine
Disc Dia: M25
Air Cons: 4scfm
Speed: 2500rpm



AT101

4" Air Grinder(knob)
Speed-No Load: 10000rpm



AT102

5" Air Grinder(trigger)
Speed-No Load:
10000-116000rpm



AT401

150mm Air hammer
Blow Per Minute: 4500bpm
Chisel shank: 0.4",10.2mm



AT1003

Air Body Saw
Free speed: 9000rpm
Cutting Capacity: Steel 16 , Alu 14



AF-05P

Air Reciprocation File
Stroke Speed: 3400spm/min



AT7500

7" air sander
Spindle thread: 5/8"-11
Speed: 4500rpm



AT604

10mm Air Belt Sander
Free Speed: 16000rpm



AT604A

20mm Air Belt Sander
Free Speed: 16000rpm



AT606A

Air Screw Driver
Max. Torque: 16-50ft.-lbs



AT3055

5H Air Screwdriver
Max. Torque:40-60NM



AT3075

5H/8H spray gun type
Air Screwdriver
Max. Torque:
40-60NM /100-120NM



AT602

Air Tire Buffer
Speed: 2200rpm



AT5803

Air Shear
Cutter Capacity:
18Gauge/1.2mm



AT5806

Air Shear
Cutter Capacity:
iron 1.2mm/ alu 1.6mm

PNEUMATIC TOOLS KIT



DK-1208D

11 pcs 1/2" Air Impact Wrench Kit



DK-A661D

11 pcs 3/4" Air Impact Wrench Kit



DK-3880D

11 pcs 1/2" Air Impact Wrench Kit



AT901

17 pcs 1/2" Air Impact Wrench Kit



AT902

17 pcs 1/2" Air Impact & Ratchet Wrench Kit



AT904

16 pcs 3/8" Air Drill Kit



AT907

16 pcs Air Die Grinder Kit



AT908

16 pcs 1/2" Air Ratchet Wrench Kit



AT915

71 PCS Air Tool Kit



AT916

13 pcs 3/4" Air Impact Wrench Kit



AT920

17 pcs 1/2" Air Impact Wrench Kit



AT921

39 pcs Air Tools Kit

AIR NAIL GUN



F30

Capacity: 100nails
 Nail Size: 18gauge(1.25*1.0mm)
 Nail Length: 10-30mm
 Air Pressure: 4-7bar
 Max Pressure: 8.3bar



F50

Capacity: 100nails
 Nail Size: 18gauge(1.25*1.0mm)
 Nail Length: 20-50mm
 Air Pressure: 4-7bar
 Max Pressure: 8.3bar



422J

Capacity: 100nails
 Nail Size: 18gauge(1.25*1.0mm)
 Nail Length: 10-22mm
 Air Pressure: 5-7.5bar
 Max Pressure: 8.3bar



625

Capacity: 100nails
 Nail Size: 23gauge(0.64mm)
 Nail Length: 12-25mm
 Air Pressure: 4-7bar
 Max Pressure: 8.3bar



1013J

Capacity: 100nails
 Nail Size: 20gauge(1.2*0.6mm)
 Nail Length: 6-13mm
 Air Pressure: 4-7bar
 Max Pressure: 8.3bar



ST64

Capacity: 80nails
 Nail Size: 13gauge(2.2mm)
 Nail Length: 18-64mm
 Air Pressure: 5-7.5bar
 Max Pressure: 8.3bar



CN55

Coil Nail Roofing Nail Gun
 Pressure: 75-110psi/4-7bar
 Max Pressure: 120psi/8.3bar
 Nail Capacity: 300-350pcs



CN70

Coil Nail Roofing Nail Gun
 Rated Pressure: 75-110psi/4-7bar
 Max Pressure: 120psi/8.3bar
 Nail Capacity: 225-300pcs



2890

Framing Nail Gun
 Rated Pressure: 75-110psi/4-7bar
 Max Pressure: 120psi/8.3bar
 Nail Capacity: 80pcs

AIR RIVET GUN



AL802

Gun type Rivet Gun (high power)
 Traction Power: 1300lbf
 Spindle Travel: 16mm
 Air pressure: 0.42-0.8Mpa(60-120psi)
 Rivets Size: 3/32" (2.4mm), 1/8" (3.2mm),
 5/32" (4.0mm), 3/16" (4.8mm)
 Rivet Material: alu, alu alloy, steel, S/S
 NW: 1.29kg



AL01

Vertical Hydraulic Rivet Gun
 Traction Power: 2400lbf
 Spindle Travel: 17mm
 Air pressure: 0.42-0.8Mpa(60-120psi)
 Rivets Size: 3/32" (2.4mm), 1/8" (3.2mm),
 5/32" (4.0mm), 3/16" (4.8mm)
 Rivet Material: alu, alu alloy, steel, S/S
 NW: 1.45kg



AL17

Vertical Hydraulic Rivet Gun
 Pull: 1350kgf
 Trip: 16mm
 Pull pin specification: 2.4, 3.2, 4.0, 4.8
 Working pressure: 6.3kg/cm²
 Air consumption: 4.5cfm



AL18

Vertical Hydraulic Rivet Gun
 Pull: 1350kgf
 Trip: 16mm
 Pull pin specification: 2.4, 3.2, 4.0, 4.8
 Working pressure: 6.3kg/cm²
 Air consumption: 4.5cfm



AL19

Vertical Hydraulic Rivet Gun
 Pull: 1722kgf
 Trip: 22mm
 Pull pin specification: 4.8-6.4mm
 Working pressure: 0.5-0.7Mpa
 Air consumption: 4.5cfm



AL20

Automatic Air Rivet Nut Gun
 Pull cap ability: M3-M10
 Pull: 3100kgf
 Working stroke: automatic adjust
 Working pressure: 0.5-0.7Mpa
 Air consumption: 4.5cfm

AIR CONTROL UNITS



EC2010G

Port Size: 1/4", 1/8"



EW4000

Port Size: 1/4", 3/8", 1/2"



EW5000

Port Size: 3/4", 1"



AFRL80

Port Size: 1/4", 3/8", 1/2"



AFR80

Port Size: 1/4", 3/8", 1/2"



AL80

Port Size: 1/4", 3/8", 1/2"



AF80

Port Size: 1/4", 3/8", 1/2"



BFC2000

Port Size: 1/4", 3/8", 1/2"



BFR2000

Port Size: 1/4", 3/8", 1/2"



BL2000

Port Size: 1/4", 3/8", 1/2"



BF2000

Port Size: 1/4", 3/8", 1/2"



AFC2000

Port Size: 1/4", 1/8"



AFR2000

Port Size: 1/4", 1/8"



AG4000

Port Size: 1/2"



AG3000-03

Port Size: 3/8"



AG3000-02

Port Size: 1/4", 3/8", 1/2"

AIR CONTROL UNITS



FC2010

Port Size:
1/4", 1/8", 3/8", 3/4", 1/2", 1"



FR2000

Port Size:
1/4", 1/8", 3/8", 3/4", 1/2", 1"



L2000

Port Size:
1/4", 1/8", 3/8", 3/4", 1/2", 1"



F2000

Port Size:
1/4", 1/8", 3/8", 3/4", 1/2", 1"



AC2000

Port Size: 1/8", 1/4"



AC3000

Port Size: 1/8", 1/4"



AC4000

Port Size:
1/8", 1/4", 3/8", 1/2", 3/4"



AC5000

Port Size: 1", 3/4"



AC2010

Port Size: 1/8", 1/4"



AC3010

Port Size: 1/8", 1/4"



AC4010

Port Size:
1/8", 1/4", 3/8", 1/2", 3/4"



AC5010

Port Size: 1", 3/4"



MF80



AR10



FR2



FR3



FR4



FR5



FR6



AR802



AR2000

AIR QUICK COUPLER

JQ: Japanese type AQ: American type EQ: Euro type IL: Israel type EN: England type OT: Universal type
 Size: 1/4", 3/8", 1/2" Material: iron/brass



JQ-A



JQ-B



JQ-C



JQ-D



JQ-E



JQ-F



JQ-G



JQ-H



JQ-I



JQ-J



JQ-K



JQ-L



JQ-7A



JQ-8



JQ-10



AQ-1A



NEW AQ-1



NEW AQ-2



NEW AQ-5

AIR QUICK COUPLER

JQ: Japanese type AQ: American type EQ: Euro type IL: Israel type EN: England type OT: Universal type
 Size: 1/4", 3/8", 1/2" Material: iron/brass



JQ-1



JQ-2



JQ-3



JQ-4



JQ-5



JQ-6



JQ-7



AQ-1



AQ-2



AQ-3



AQ-4



AQ-5



AQ-6



EQ-1



EQ-2



EQ-3



EQ-4



EQ-5



EQ-6



EQ-7



1L-1



1L-2



1L-3



1L-4



1L-5



1L-6



EN-1



EN-2



EN-3



EN-4



EN-5



EN-6



EN-7



OT-1



OT-2



OT-3



AK-2



AK-3



DC-1



DC-2



PE/PU Air Hose

Size: 5*8, 6.5*10, 8*12mm
 Length: 5M, 7.6M, 10M, 15M...



PU Air hose

Size: 5*8, 6.5*10mm
 Length: 100M, 200M



Rubber Fluid Hose

Size: 6*13, 8*15, 10*17mm
 Length: 3M, 5M, 10M, 15M, 20M...



PVC Fluid Hose

Size: 6.5*11, 9.5*15, 6*11, 8*12, 10*14mm
 Length: 3M, 5M, 10M, 15M, 20M...



HR-01

Air Hose Reel
 Material: PVC
 Housing Material: high impact polypropylene
 Suitable Temperature: -40°C+60°C
 Length of inlet hose: 1M
 Length: 10M
 ODxID: 8x12 mm
 Fitting: 1/4" male thread fitting/quick coupler and nipple
 Max Working Pressure: 18bar



HR-02

Air Hose Reel
 Material: PU
 Housing Material: high impact polypropylene
 Suitable Temperature: -40°C+60°C
 Length of inlet hose: 1.5M/2M
 Length: 16M
 ODxID: 10x6.5, 12x8mm
 Fitting: 1/4" male thread fitting/quick coupler and nipple
 Max Working Pressure: 16bar



HR-03

Water Hose Reel
 Material: PVC water hose
 Housing Material: high impact polypropylene
 Suitable Temperature: 0°C+60°C
 Length: 30M
 ODxID: 12x8, 14x10mm
 Fitting: 1/4" male thread fitting/quick coupler and nipple
 Max Working Pressure: 8bar

SPRAY GUN CUP



PC-600P



PC-600M



PC-600R



PC-125P



PC-250P



PC-125G



PC-200G



PC-400G



PC-600G



PC-502G



PC-600S



PC-1000S



PC-750S



PC-1000Q



PC-1000D



PC-1000A

SPRAY GUN CLEANING TOOLS



CK-5

cleaning brush 5pcs kit



CK-11

cleaning brush 11 pcs kit



CK-12

cleaning brush 12pcs kit



CK-17

cleaning brush 17pcs kit



UG 110

SPRAY GUN CLEANING MACHINE

Guns&Pots Cleaned: 1
 No of Swirl Action Jets: 6
 with a Diaphragm Pump
 air cons: 2cfm(58L/min)
 Output:
 3 US Gal(12L) per minute at 85psi/5.8kg/cm²



LRL-QB-PQ

SPRAY GUN CLEANING MACHINE

Air pressure: 60-100psi
 Stainless steel construction
 Overall S/S material
 Capacity: 2pcs gun+2pcs cup+6pcs Nozzle
 Working H: 925mm, W:500mm
 Demension: 550x550x950mm



MINI-068

Mould release agent spray gun

Nozzle: 0.3 0.5 1.0mm
 Air Pressure: 0.1Mpa
 Air Cons: 50fL/min
 Output: 130-250ml/min
 Pattern: 120-180mm
 NW: 230g

OTHER TOOLS



Mixing Cup

Volume:
400CC, 650CC, 1300CC, 2240CC
With lid



PC-99

Spray Gun Disposable Cup
Volume: 650CC
Lid: with filter



Disposable Paint Tank Liner

Material:PE
Size: 30L---32L



GF-10

Nylon gravity filter 10pcs kit



SF-10

Nylon filter for Suction Cup



SG-01

Spray Gun holder



SG-02

Magnetic Spray Gun Holder



Paper Cone Strainer

Paper Optional: 150g, 180g
Strainer: 125 μ m, 190 μ m, 226 μ m, 250 μ m



Disposable Spraying Protective Suit


Material: Non-woven fabrics
Size:M, L, XL, XXL



Anti-dust Mask



NBR Glove



Car painting shield Film

Size: 3.8M*100M



Paint Can Mixing Lid

For 1L and 4L can
9.5*13cm, 15.5*19.5cm

