


MaxShine®

OEM

CATALOGUE

2019/20



MAXSHINE GLOBAL LIMITED
ANHUI MAXSHINE AUTO PRODUCTS CO.,LTD

📍 31st Floor, Gold Eagle World Center, Wuhu, 241000, China

☎ +86 553 3932 199 | +86 553 4996 266

🌐 www.maxshinechina.com

✉ sales@maxshinechina.com



DEVOTED TO DETAILING



CONTENT

- 02 - ABOUT MAXSHINE
- 05 - DUAL ACTION POLISHER
- 15 - ROTARY POLISHER
- 21 - PLATE BACKING PAD
- 27 - PREMIUM MICROFIBER TOWEL
- 41 - PREMIUM MICROFIBER WASH MITT
- 46 - PREMIUM MICROFIBER WASH PAD
- 47 - FOAM POLISHING PAD
- 57 - PREMIUM MICROFIBER DA PAD
- 59 - FOAM WAXING APPLICATOR
- 65 - WOOL POLISHING PAD
- 68 - SHEEPSKIN NATURAL WASH MITT
- 71 - CLAY PRODUCTS SERIES
- 75 - DETAILING TOOL BAG
- 81 - DETAILING BRUSH
- 91 - DETAILING ACCESSORIES



ABOUT MAXSHINE

AnHui Maxshine Auto Products Co., Ltd. is a professional manufacturer and international supplier specializing in long throw orbital dual action polisher and other car care products for more than 13 years. Maxshine provides auto detailing treatment and solutions with high quality, Maxshine has established close, strategic and cooperative relationship with a number of auto detailing suppliers worldwide.

Our main products include dual action polishers (DAS-6, DAS-6 PRO, M6 Series, M5 Series, M3 Series, M Series, L Series, A series), rotary polishers, microfiber towels, foam polishing pads, lambswool pads, backing plate pads, detailing bags, detailing brushes and other unique and useful car care accessories and tools.

Maxshine products have been distributed to more than 50 countries, making them easily available worldwide. Our products are well received by our customers.

To better serve our customers and further promote Maxshine brand in the world, we established Maxshine US branch in 2017. This can cut the delivery time for US customers significantly. Maxshine now has a lot of distributors in the world.

We promise to provide our customers with the best service.

We look forward your visit and future collaboration for mutual benefits.

Maxshine Team

MaxShine

MaxShine®
M21



1 AMERICA	21 NEW ZEALAND
2 ARGENTINA	22 PAKISTAN
3 AUSTRALIA	23 POLAND
4 BRAZIL	24 PORTUGAL
5 BRUNEI	25 PERU
6 BELGIUM	26 RUSSIA
7 CANADA	27 SOUTH KOREA
8 DENMARK	28 SPAIN
9 FRANCE	29 SOUTH AFRICA
10 FINLAND	30 SWITZERLAND
11 GERMANY	31 SWEDEN
12 GREECE	32 SINGAPORE
13 INDONESIA	33 TAIWAN
14 INDIA	34 THE NETHERLANDS
15 ITALY	35 TURKEY
16 JAPAN	36 THAILAND
17 MEXICO	37 THE MIDDLE EAST
18 MAURITIUS	38 UNTIED KINGDOM
19 MALAYSIA	39 VIETNAM
20 NORWAY	



DUAL ACTION POLISHER

Dual Action Polishers Help You Make Vehicles Clean And Shining!

Dual Action Polishers Help You Make Car Detailing
Safer and Easier!

Fast, Effective, Safe and Easy-to-Use!

Swirl-free, Professional Results with No Risk!

Easily Remove Swirl Marks and Scratches,
and Improve Paint Gloss!

Ideal for Applying Polishes and Waxes, and Safe For All Paint Types!

Variable Speed Dial, On/Off Sliding Safety Switch!

Ergonomic Design and Comfortable Soft-Touch Head Cover!

Sealed 100% Ball-Bearing Construction Provides Longer Life!

1000 WATT DUAL ACTION POLISHER

FEATURES

- Powerful 1000-watt motor, effectively removes defects quicker.
- Soft start with constant speed system.
- Ergonomic design, The Non-Slip Soft Rubber Coated Grip makes the head and the handle pleasant and secure to hold.
- Electronic speed control dial, large numbers, click sensation to indicate speed changes.
- Progressive switch trigger, the trigger can control speeds and 6 speed setting.
- Removable wire mesh intake covers design. They help to prevent wool fiber, compound dust, polish from entering the motor and causing damage.
- CNC machined steel counterweight.
- Head cover makes heat emission holes design.



Dust vents

To prevent dust into the air circulation system, optimization, good heat dissipation effect, protect the power to prevent burn.

Speed Controller

Constant speed controller with 6 speed setting.

Trigger Lock

Lock the switch so that the machine can keep running.

Non-Slip Soft Rubber Coated Grip

Progressive Trigger Switch

CNC machined counterweight

TECHNICAL DATA

Art.N°	Disc Size	Orbit	Rated Voltage	Input	Spindle Thread	No Load Speed
M6-8	125mm, 5"	8mm	110-240V AC	1000W/9A	5/16" -24	2600-6800/min
M6-12	125mm, 5"	12mm	110-240V AC	1000W/9A	5/16" -24	2200-5000/min
M6-15	125mm, 5"	15mm	110-240V AC	1000W/9A	5/16" -24	2200-5000/min
M6-21	150mm, 6"	21mm	110-240V AC	1000W/9A	5/16" -24	2200-5000/min

PU Velcro Backing Plate, D Handle, Wrench, Canvas bag, Carbon Brush, Manual.

550 WATT DUAL ACTION POLISHER

FEATURES

- Powerful 550-watt motor, effectively removes defects quicker.
- Soft start with constant speed system.
- Ergonomic design, The Non-Slip Soft Rubber Coated Grip makes the head and the handle pleasant and secure to hold.
- Electronic speed control dial, large numbers, click sensation to indicate speed changes.
- Progressive switch trigger, the trigger can control speeds and 6 speed setting.
- Removable wire mesh intake covers design. They help to prevent wool fiber, compound dust, polish from entering the motor and causing damage.
- CNC machined steel counterweight.
- Head cover makes heat emission holes design.

TECHNICAL DATA

Art.N°	Disc Size	Orbit	Rated Voltage	Input	Spindle Thread	No Load Speed
M3-12	75mm, 3-3.5"	12mm	110-240V AC	550W/4.2A	5/16" -24	2000-5500/min
PU Velcro Backing Plate, Wrench, Carbon Brush, Manual.						

Best For Spot Polishing , Very Lighter!





SERIES



Speed Controller

Constant speed controller with 6 speed setting.

900 WATT DUAL ACTION POLISHER

FEATURES

- Powerful 900-watt motor, effectively removes defects quicker.
- Soft start with constant speed system.
- CNC machined counterweight.
- Setting with 6 speed control.
- Soft Grip, more Comfortable.

TECHNICAL DATA

Art.N°	Disc Size	Orbit	Rated Voltage	Input	Spindle Thread	No Load Speed
A8	125mm, 5"	8mm	110-240V AC	900W/7.5A	5/16"-24	2500-6800/min
A12	125mm, 5"	12mm	110-240V AC	900W/7.5A	5/16"-24	1800-4800/min
A15	125mm, 5"	15mm	110-240V AC	900W/7.5A	5/16"-24	1800-4800/min
A21	150mm, 6"	21mm	110-240V AC	900W/7.5A	5/16"-24	1800-4800/min

PU Velcro Backing Plate, D Handle, Wrench, Canvas bag, Carbon Brush, Manual.

900 WATT DUAL ACTION POLISHER

FEATURES

- Powerful 900-watt motor, effectively removes defects quicker.
- Soft start with constant speed system.
- CNC machined counterweight.
- Setting with 6 speed control.
- Soft Grip, more Comfortable.



SERIES



Speed Controller

Constant speed controller with 6 speed setting.

TECHNICAL DATA

Art.N°	Disc Size	Orbit	Rated Voltage	Input	Spindle Thread	No Load Speed
L8	125mm, 5"	8mm	110-240V AC	900W/7.5A	5/16"-24	2500-6800/min
L12	125mm, 5"	12mm	110-240V AC	900W/7.5A	5/16"-24	1800-4800/min
L15	125mm, 5"	15mm	110-240V AC	900W/7.5A	5/16"-24	1800-4800/min
L21	150mm, 6"	21mm	110-240V AC	900W/7.5A	5/16"-24	1800-4800/min

PU Velcro Backing Plate, D Handle, Wrench, Canvas bag, Carbon Brush, Manual.

DUAL ACTION POLISHER

FEATURES

- Powerful 500/900-watt motor, 8mm orbit, effective, fast, safe and easy to use.
- Easily remove swirl marks and scratches, improve paint gloss.
- Setting with 6 speed control.
- Ergonomic design and comfortable soft-touch head cover.



SERIES



TECHNICAL DATA

Art.N°	Disc Size	Orbit	Rated Voltage	Input	Spindle Thread	No Load Speed
DA500	125mm, 5"	8mm	110-240V AC	500W/4.2A	5/16"-24	2500-6800/min
DA900				900W/7.5A		

PU Velcro Backing Plate, D Handle, Wrench, Canvas bag, Carbon Brush, Manual.

ROTARY POLISHER

Unique Features:

- Electronic Switch Maintains Constant Speed under Load. Heavy-Duty Motor Provides High Power.
- Setting with 6-Speed Control
- Extra Heavy-Duty M14 (5/8"-11") Spindle with Spindle Lock. Comfortable Non-Slip Grip D Handle.
- High Impact Housing with Die Cast Aluminum Head.
- Auto Shut-off Carbon Brushes Prevents Motor Damage.
- Sealed 100% Ball-Bearing Construction Provides Longer Life.
- Warranty: 1 year warranty against defects in materials or workmanship.



1000 WATT ROTARY POLISHER

FEATURES

- Powerful 1000-watt motor, effectively removes defects quicker.
- Well balanced, impressive power to weight ratio.
- No load speed: 800-3000/min.
- Heavy-duty motor provides high power.
- Extra heavy-duty 5/8" or M14 spindle with spindle lock.
- Polishes and removes swirls, scratches, and defects from all painted vehicles.
- Auto shut-off carbon brushes prevents motor damage.
- Sealed 100% ball-bearing construction provides longer life.
- Setting with 6 speed control soft grip, more comfortable.



TECHNICAL DATA Art.N° M6-RP1000

Disc Size	Net Weight	Rated Voltage	Input	Spindle Thread	No Load Speed
125mm, 5"	3.2kgs	110-240V AC	1000W	5/8" or M14	800-3300/min
Velcro Backing Plate, Side Handle, Wrench, Carbon Brush, Manual.					

550 WATT ROTARY POLISHER

FEATURES

- Spindle lock.
- Soft start.
- Setting with 6 speed control.
- External brush for fast and easy replacement.



TECHNICAL DATA Art.N° M3-RP550

Disc Size	Net Weight	Rated Voltage	Input	Spindle Thread	No Load Speed
75mm, 3-3.5"	3.2kgs	110-240V AC	550W	5/8" or M14	1000-3500/min
Velcro Backing Plate, Side Handle, Wrench, Carbon Brush, Manual.					

1200 WATT ROTARY POLISHER

FEATURES

- Spindle lock.
- Soft start with constant power system.
- Setting with 6 speed control.
- External brush for fast and easy replacement.



TECHNICAL DATA Art.N° RP03

Disc Size	Net Weight	Rated Voltage	Input	Spindle Thread	No Load Speed
180mm, 7"	3.2kgs	110-240V AC	1200W	5/8" or M14	600-3000/min
Velcro Backing Plate, D Handle, Wrench, Carbon Brush, Wool Bonnet, Manual.					

900 WATT ROTARY POLISHER

FEATURES

- Soft Start and Constant Speed System.
- Electronic Switch Maintains Constant Speed under Load.
- Heavy-Duty Motor Provides High Power.
- Extra Heavy-Duty M14 (5/8") Spindle with Spindle Lock.
- Comfortable Non-Slip Grip
- High Impact Housing with Die Cast Aluminum Head.
- Auto Shut-off Carbon Brushes Prevents Motor Damage.
- Sealed 100% Ball-Bearing Construction Provides Longer Life.

TECHNICAL DATA

Art.N° RP08

Disc Size	Net Weight	Rated Voltage	Input	Spindle Thread	No Load Speed
125mm, 5"	2.5kgs	110-240V AC	900W	5/8" or M14	900-3000/min
Velcro Backing Plate, Side Handle, Wrench, Carbon Brush, Manual.					

Non-Slip Soft Rubber Coated Grip

Speed Controller

Constant speed controller with 6 speed setting.



Non-Slip Soft Rubber Coated Grip

Easy Change Motor Brush Doors

Trigger Lock

Lock the switch so that the machine can keep running.

Progressive Trigger Switch



PLATE BACKING PAD

Shaped by injection moulding, with high rebound resilience and durability. Suit for high speed polishing, and with good thermal endurance. Especially designed for surface polishing, such as car, glass, ship, floor, etc. We usually use it with wool pad, foam pad to improve the gloss finish. High quality hook & loop which can be used for more than 10000 times.



MS-PBP125-L SERIES



Art.N° MS-PBP125-L
5" (∅125mm)

Art.N° MS-PBP150-L
6" (∅150mm)

Thread 5/16" -24

MS-BP125 SERIES



Art.N° MS-BP125
Art.N° MS-BP125-H
5" (∅125mm)

Art.N° MS-BP150
Art.N° MS-BP150-H
6" (∅150mm)

MS-PBP125 SERIES



Art.N° MS-PBP125
5" (∅125mm)

Art.N° MS-PBP150
6" (∅150mm)

Thread 5/16" -24

MS-PBP50 SERIES



Art.N° MS-PBP50
2" (∅50mm)
Art.N° MS-PBP75
3" (∅74mm)

Art.N° MS-PBP75-B
Art.N° MS-PBP75-BH(6 holes)
3" (∅74mm)

MS-PU01-125 SERIES



Art.N° MS-PU01-50
2" (∅50mm)

Art.N° MS-PU01-70
3" (∅70mm)

Thickness: 22mm

Art.N° MS-PU01-125
5" (∅125mm)

Art.N° MS-PU01-150
6" (∅150mm)

PU Thickness: 27.5mm

Thread 5/8" or M14

MS-PU02 SERIES



Art.N° MS-PU02-115
4.5" (∅115mm)

Art.N° MS-PU02-125
5" (∅125mm)

Art.N° MS-PU02-150
6" (∅150mm)

Art.N° MS-PU02-180
7" (∅180mm)

PU Thickness: 15.5mm

MS-PU04 SERIES



Art.N° MS-PU04-100 4" (∅100mm)
Art.N° MS-PU04-115 4.5" (∅115mm)
Art.N° MS-PU04-125 5" (∅125mm)
Art.N° MS-PU04-150 6" (∅150mm)
Art.N° MS-PU04-180 7" (∅180mm)
Art.N° MS-PU04-200 8" (∅200mm)

PU Thickness: 15.5mm

Thread 5/8" or M14

MS-PU07 SERIES



Art.N° MS-PU07-30
1.2" (∅30mm)

Art.N° MS-PU07-50
2" (∅48mm)

Art.N° MS-PU07-70
3" (∅74mm)

Thread 5/8" or M14

PU Thickness: 12mm

MS-PU12 SERIES



Art.N° MS-PU12-125 5" (∅125mm)
Art.N° MS-PU12-150 6" (∅150mm)

PU Thickness: 15mm

MS-PU09 SERIES



Art.N° MS-PU09-075

3" (∅75mm)

Art.N° MS-PU09-125

5" (∅125mm)

Art.N° MS-PU09-150

6" (∅150mm)

Art.N° MS-PU09-178

7" (∅178mm)

Thread 5/8" or M14 PU Thickness: 10mm



Art.N° MS-EVA-100T 4" (∅100mm)

Art.N° MS-EVA-115T 4.5" (∅115mm)

Art.N° MS-EVA-125T 5" (∅125mm)

Art.N° MS-EVA-150T 6" (∅150mm)

Art.N° MS-EVA-180T 7" (∅180mm)

Thread 5/8" or M14 EVA Thickness: 25mm



DRILL BACKING PAD SERIES



Art.N° MS-DPB01-50

2" (∅50mm)

Art.N° MS-DPB01-75

3" (∅75mm)

Art.N° MS-DPB02-50

2" (∅50mm)

Art.N° MS-DPB02-75

3" (∅75mm)

PU Thickness: 11.5mm

Art.N° MS-DPB03-50

2" (∅50mm)

Art.N° MS-DPB03-75

3" (∅75mm)

PU Thickness: 20mm

Thread M6





PREMIUM MICROFIBER TOWEL

A car detailing program is worthless if it adds swirl marks and scratches to your freshly polished paint. Premium Microfiber Towels & Applicators are the finest available anywhere and will not scratch your paint. Guarantee!

- Easier to use, softer and safer Microfiber Towels!
- Weight Range: 180GSM-1200GSM.
- Material: 80% Polyester, 20% Polyamide.
- Edging Options: Satin/PE Border/Sewn/Edgeless.
- Customized Size/Packing/Label/Colors is available!

PLUSH MICROFIBER TOWEL

Both Sides Are Plush High Pile Loops

Art.N° MS-PT4040 / MS-PT4060

Thickness: 350-1300g/m²

Material: 80% Polyester, 20% Polyamide Size: 16x16", 16x24"



Soft PE Border



High Density Soft,
Super Water Absorption.



Perfect Label

EDGELESS PLUSH MICROFIBER TOWEL

Both Sides Are Plush High Pile Loops

Art.N° MS-EPT4040 / MS-EPT4060

Thickness: 350-1300g/m²

Material: 80% Polyester, 20% Polyamide

Size: 16x16" , 16x24"



High Density Soft,
Super Water Absorption.



Ultrasonic Edgeless



Lint-free 100% Scratch Free

MICROFIBER WAFFLE DRYING TOWEL

Perfect For Drying

Art.N° MS-WT4060 / Art.N° MS-WT6090

Thickness: 400-450g/m²

Material: 80% Polyester, 20% Polyamide

Size: 16x24" , 24x36"

33



34

PLUSH MICROFIBER TOWEL

Both Sides Are Plush High Pile Loops

Art.N° MS-PT5070-D / MS-PT4560-D



Thickness:400-1300g/m² Material:80% Polyester,20% Polyamide Size:20x28"

ORANGE THICK DRYING TOWEL

Both Sides Are Plush High Pile Loops

Art.N° MS-PT4040-E / MS-PT4060-E



MICROFIBER HONEYCOMB DRYING TOWEL

Perfect For Drying

Art.N° MS-WT4060-B / MS-WT6090-B



Thickness:400-450g/m²
Material:80% Polyester,20% Polyamide
Size:16x24",24x36"

EDGELESS ULTRA MICROFIBER TOWEL

Both Sides Are Short Pile Loops

Art.N° MS-EUT4040 / MS-EUT4060



Thickness:200-450g/m²
Material:80% Polyester,20% Polyamide
Size:16x16",16x24"



DOUBLE COLOR MICROFIBER TOWEL

Both Sides Are Plush High Pile Loops

Art.N° MS-PT4040-B / MS-PT4060-B

Thickness:350-1300g/m²
Material:80% Polyester,20% Polyamide
Size:16x16",16x24"

MICROFIBER COBRA TOWEL

One Side Is Short Pile Loop,The Other Side Is High Pile Loop

Art.N° MS-CGT4040 / MS-CGT4060



Thickness:250-550g/m² Material:80% Polyester,20% Polyamide Size:16x16",16x24"

EDGELESS MICROFIBER COBRA TOWEL

One Side Is Short Pile Loop,The Other Side Is High Pile Loop

Art.N° MS-ECT4040 / MS-ECT4060



GLASS MICROFIBER TOWEL

Perfect For Clean Glass

Art.N° MS-GMT4040 / MS-GMT4060



Thickness:250-350g/m² Material:80% Polyester,20% Polyamide Size:16x16",16x24"

SMALL PEARL MICROFIBER TOWEL

Art.N° MS-SMPT4040 / MS-SMPT4060



ULTRA MICROFIBER TOWEL

Both Sides Are Short Pile Loops

Art.N° MS-UT4040 / MS-UT4060 / MS-UT6090



Thickness:200-500g/m²
Material:80% Polyester,20% Polyamide
Size:16x16",16x24",24x36"

MICROFIBER SUEDE TOWEL

Perfect For Coating

Art.N° MS-ST4040 / MS-ST4060



Thickness:180-220g/m²
Material:80% Polyester,20% Polyamide
Size:16x16",16x24"

TWISTED LOOP DRYING TOWEL

Art.N° MS-TL4040 / MS-TL4060

Thickness: 520g/m²

Material: 70% Polyester, 30% Polyamide

Size: 16x16", 16x24", 24x36"



Silk Border



Fluffy fiber, lint-free, scratch-free, high water absorption.



Fast to dry the whole car

EDGELESS PEARL MICROFIBER TOWEL

Perfect For Polishing

Art.N° MS-EBPT4040 / MS-EBPT4060 (Edgeless Style)
Art.N° MS-BPT4040 / MS-BPT4060 (Sewn Style)



Thickness: 330-350g/m²
Material: 80% Polyester, 20% Polyamide
Size: 16x16", 16x24"

DRYING MESH MICROFIBER TOWEL

Perfect For Polishing

Art.N° MS-MT4040/MS-MT4060



Thickness: 300-450g/m²
Material: 70% Polyester, 30% Polyamide
Size: 16x16", 16x24", 24x36"

MICROFIBER DETAILING APRON

Art.N° MS-MDA01

Thickness: 250-350g/m²
Material: 80% Polyester, 20% Polyamide, Waterproof Back
Edge: PE Border, soft, safe



PREMIUM MICROFIBER WASH MITT

41

MaxShine®

42

MaxShine®



PLUSH MICROFIBER WASH MITT

Art.N° MS-PWM08 (Size: 19x25cm)

Material: 92% Polyester, 8% Viscose

Features: Soft Plush Microfiber, Thick Pile Perfect cleaning, Super Water Absorption.



High Density with better elasticity



Soft Plush Microfiber, Thick Pile Perfect cleaning, Super Water Absorption.



Art.N° MS-PWM01 (Size: 28x22cm)



Art.N° MS-PWM02 (Size: 27x24cm)



SMALL CHENILLE WASH MITT



Art.N° MS-PWM04 (Size: 26x21cm)

Material: 80% Polyester, 20% Polyamide

Art.N° MS-PWM03 (Size: 23x15cm)





PLUSH CHENILLE WASH MITT

Art.N° MS-PWM05 (Size: 24x17cm)



Material: 80% Polyester, 20% Polyamide

Art.N° MS-PWM06 (Size: 24x17cm)



customized color for the back side is available



PREMIUM MICROFIBER WASH PAD

PREMIUM MICROFIBER WASH PAD

Art.N° MS-CCP01 (Size: 22.5x12.5x5.5cm)



Art.N° MS-CCP06 (Size: 23x17cm)



FOAM POLISHING PAD

Maxshine foam polishing pads are professional designed for the restoration on painted surface and the daily maintenance. The entire series adopt the high quality polyester sponge made in Europe, which possess the advantage of excellent tensile strength and durability, and the service life of which is several times longer than that of the ordinary sponge.

You can select out the appropriate hard or soft foam pad according to the process and the polish/wax being used, and make the most ideal gloss finish on the surface.



MS-A150 SERIES



P=Polishing C=Cutting F=Finishing

∅ 75x30mm	Art.N° MS-A75P/MS-A75C/MS-A75F
∅ 125x30mm	Art.N° MS-A125P/MS-A125C/MS-A125F
∅ 150x30mm	Art.N° MS-A150P/MS-A150C/MS-A150F
∅ 190x30mm	Art.N° MS-A190P/MS-A190C/MS-A190F

MS-E150 SERIES



Polishing	Art.N° MS-E150P
Cutting	Art.N° MS-E150C
Finishing	Art.N° MS-E150F

∅ 150x30mm

MS-B150 SERIES

P=Polishing C=Cutting F=Finishing

Wave Face

∅ 75x30mm	Art.N° MS-B75P/MS-B75C/MS-B75F
∅ 125x30mm	Art.N° MS-B125P/MS-B125C/MS-B125F
∅ 150x30mm	Art.N° MS-B150P/MS-B150C/MS-B150F
∅ 190x30mm	Art.N° MS-B190P/MS-B190C/MS-B190F



MS-H150 SERIES



Polishing	Art.N° MS-H150P
Cutting	Art.N° MS-H150C
Finishing	Art.N° MS-H150F

∅ 150x50mm

MS-C150 SERIES



Polishing	Art.N° MS-C178P	∅ 180x32mm
Cutting	Art.N° MS-C178C	∅ 180x32mm
Finishing	Art.N° MS-C178F	∅ 180x32mm



MS-G150 SERIES

P=Polishing C=Cutting F=Finishing

∅ 125-150x30mm Art.N ° MS-G125P/MS-G125C/MS-G125F
 ∅ 150-175x30mm Art.N ° MS-G150P/MS-G150C/MS-G150F



MS-T150 SERIES(DIAMOND)

P=Polishing C=Cutting F=Finishing

∅ 150x35mm Art.N ° MS-T150P/MS-T150C/MS-T150F
 ∅ 180x35mm Art.N ° MS-T180P/MS-T180C/MS-T180F



MS-U150C SERIES

P=Polishing C=Cutting F=Finishing

∅ 75x30mm Art.N ° MS-U75P/MS-U75C/MS-U75F
 ∅ 125x30mm Art.N ° MS-U125P/MS-U125C/MS-U125F
 ∅ 150x30mm Art.N ° MS-U150P/MS-U150C/MS-U150F
 ∅ 190x30mm Art.N ° MS-U190P/MS-U190C/MS-U190F



MS-J150C SERIES

P=Polishing C=Cutting F=Finishing

∅ 125-148x(6+12)mm Art.N ° MS-J125P/MS-J125C/MS-J125F
 ∅ 150-170x(6+12)mm Art.N ° MS-J150P/MS-J150C/MS-J150F



MS-Q150C SERIES

P=Polishing C=Cutting F=Finishing

∅ 80-100x(15+2)mm Art.N ° MS-Q80P/MS-Q80C/MS-Q80F
 ∅ 125-135x(15+2)mm Art.N ° MS-Q125P/MS-Q125C/MS-Q125F
 ∅ 150-170x(15+2)mm Art.N ° MS-Q150P/MS-Q150C/MS-Q150F



FOAM POLISHING KIT

53

Straight Edge

Art.N° MS-PK01

1"



Plate Backing Pad	1"	Thread: 5/8" M14
Wool Pad	∅40mm	Aggressive
Green Foam Pad	∅46x10mm	Cutting
Orange Foam Pad	∅46x10mm	Polishing
Red Foam Pad	∅46x10mm	Finishing
Microfiber Pad	∅46x6mm	Waxing

2"

Art.N° MS-PK02

Plate Backing Pad	2"	Thread: 5/8" M14
Wool Pad	∅56mm	Aggressive
Green Foam Pad	∅56x10mm	Cutting
Orange Foam Pad	∅56x10mm	Polishing
Red Foam Pad	∅56x10mm	Finishing
Microfiber Pad	∅56x6mm	Waxing



3"

Art.N° MS-PK03



Plate Backing Pad	3"	Thread: 5/8" M14
Wool Pad	∅80mm	Aggressive
Green Foam Pad	∅86x25mm	Cutting
Orange Foam Pad	∅86x25mm	Polishing
Red Foam Pad	∅86x25mm	Finishing
Microfiber Pad	∅86x6mm	Waxing

FOAM POLISHING KIT

54

Bevel Edge Style

Art.N° MS-PK04

1"



Plate Backing Pad	1"	Thread: 5/8" M14
Blue Foam Pad	∅30-50x20mm	Cutting
Yellow Foam Pad	∅30-50x20mm	Polishing
Black Foam Pad	∅30-50x20mm	Finishing

2"

Art.N° MS-PK05

Plate Backing Pad	2"	Thread: 5/8" M14
Blue Foam Pad	∅56-65x25mm	Cutting
Yellow Foam Pad	∅56-65x25mm	Polishing
Black Foam Pad	∅56-65x25mm	Finishing



3"

Art.N° MS-PK06



Plate Backing Pad	3"	Thread: 5/8" M14
Blue Foam Pad	∅80-95x25mm	Cutting
Yellow Foam Pad	∅80-95x25mm	Polishing
Black Foam Pad	∅80-95x25mm	Finishing

ORANGE PEEL REMOVED PAD

Art.N° MS-OPP2000-80A	Art.N° MS-OPP3000-80A	Ø 80x8mm
Art.N° MS-OPP2000-100A	Art.N° MS-OPP3000-100A	Ø 100x8mm
Art.N° MS-OPP2000-135A	Art.N° MS-OPP3000-135A	Ø 135x8mm
Art.N° MS-OPP2000-160A Denim	Art.N° MS-OPP3000-160A Velvet	Ø 160x8mm



INTERFACE PADS



Art.N° MS-IP150	6"	Ø150x10mm
Art.N° MS-IP125	5"	Ø 125x10mm
Art.N° MS-IP75	3"	Ø 75x10mm / 75x6mm
Art.N° MS-IP50	2"	Ø 50x10mm / 50x6mm

Options: With holes or not

FOAM POLISHING CONE



Art.N° MS-FPC80	Ø 80mm	Art.N° MS-FPB80	Ø 80mm	Art.N° MS-FPC70	Ø 70mm
Mounting: 6mm Shaft			Thread: 5/8" or M14		

EXTENSION SHAFT

Used With RO Polisher To Polish Tight And Awkward Areas, Such As Round wing mirrors, spoilers, bumpers whilst



Art.N° MS-ES50	Size: 50mm
Art.N° MS-ES80	Size: 80mm
Art.N° MS-ES120	Size: 120mm

Art.N° MS-PK-KIT (MS-ES50, 1PC/MS-ES80, 1PC/MS-ES120, 1PC)

Thread: 5/8" or M14



PREMIUM MICROFIBER DA PAD

57

HIGH PILE MICROFIBER DA PAD



Cutting Art.N° MS-MFP80-C1 Ø 80x13mm
 Art.N° MS-MFP130-C1 Ø 130x13mm
 Art.N° MS-MFP150-C1 Ø 150x13mm
 Art.N° MS-MFP160-C1 Ø 160x13mm

Finishing Art.N° MS-MFP80-F1 Ø 80x13mm
 Art.N° MS-MFP130-F1 Ø 130x13mm
 Art.N° MS-MFP150-F1 Ø 150x13mm
 Art.N° MS-MFP160-F1 Ø 160x13mm

MEDIUM PILE MICROFIBER DA PAD



Cutting Art.N° MS-MFP80-C2 Ø 80x10mm
 Art.N° MS-MFP130-C2 Ø 130x10mm
 Art.N° MS-MFP155-C2 Ø 155x10mm

Finishing Art.N° MS-MFP80-F2 Ø 80x10mm
 Art.N° MS-MFP130-F2 Ø 130x10mm
 Art.N° MS-MFP155-F2 Ø 155x10mm



MaxShine

SHORT PILE MICROFIBER DA PAD



Cutting

Art.N° MS-MFP85-C5 Ø 85-80x18mm
 Art.N° MS-MFP140-C5 Ø 140-133x18mm
 Art.N° MS-MFP160-C5 Ø 160-155x18mm

Finishing

Art.N° MS-MFP85-F5 Ø 85-80x18mm
 Art.N° MS-MFP140-F5 Ø 140-133x18mm
 Art.N° MS-MFP160-F5 Ø 160-155x18mm



58

MaxShine

MICROFIBER DA PAD



Heavy Aggressive

Art.N° MS-MFP125-H1
 Ø 125-145x(6+8+10)mm
 Art.N° MS-MFP150-H1
 Ø 150-170x(6+8+10)mm



FOAM WAXING APPLICATOR

FOAM APPLICATOR



Art.N° MS-FA-1 Ø10.5x2cm

FINGER FOAM APPLICATOR



Art.N° MS-FA-3 Size:12x8cm

COATING APPLICATOR



Art.N° MS-FA-5 Size:10x4.6x(1.5+5)cm

PLUSH MICROFIBER APPLICATOR



Art.N° MS-FA-7 Ø13x2cm



Art.N° MS-FA-2 Ø10.5x2cm

TIRE FOAM APPLICATOR



Art.N° MS-FA-4 Size:10x4x(2.5+3.5)cm

TERRY MICROFIBER APPLICATOR



Art.N° MS-FA-6 Ø13x2cm

TAPERED FOAM APPLICATOR



Art.N° MS-FA-12 Ø11x2cm

FOAM APPLICATOR

Art.N° MS-FA-11 Size:7.4x(1.2+1.5)cm



WAXING APPLICATOR



Art.N° MS-FA-17 Size:15x9x3.7cm



Art.N° MS-FA-15 Size:15.5x9.2x(1.2+1.2+1.2)cm

TIRE FOAM APPLICATOR



Art.N° MS-FA-19 Size:8.3x9.5x(2.5+3.5)cm

WAXING APPLICATOR



Art.N° MS-WAX-A

- Ø 72mm PU Block
- Ø 75mm Orange/Blue/Yellow Applicator
- Ø 75mm Black/White Applicator



Art.N° MS-FA-30 Size: 17.5x11x2.5cm/12.5x10x5cm



Art.N° MS-FA-22 Size: 10x5.5x4cm



Art.N° MS-FA-29 Size: 21x13x5cm



Art.N° MS-FA-23 Ø 11x4.5cm



Art.N° MS-FA-31 Size: 16x8x3.5cm



Art.N° MS-FA-20 Ø 13.5cm



Art.N° MS-FA-21 Size: 12x15.5x5cm



Art.N° MS-FA-14 Size: 15.5x10x(1+2)cm



Art.N° MS-FA-9 Ø 13x2cm



Art.N° MS-FA-25 Size: 16x10x4.5cm



Art.N° MS-FA-26 Ø 15x2cm



Art.N° MS-WAX-B

- Size: 12.2x7cm PU Block
- Size: 15.5x8.7cm Orange/Blue/Yellow Applicator
- Size: 15.5x8.7cm Black/White Applicator



Art.N° MS-FA-28 Size: 15x8.5cm



Art.N° MS-WAX-C

- Ø 7-8cm Sanding Block
- Ø 13cm Blue Microfiber Applicator
- Ø 13cm White Terry Applicator
- Ø 13cm Yellow Foam Applicator



Art.N° MS-FA-27 Size: 15x10cm

WOOL POLISHING PAD

65

MaxShine



Knitted wool pads offered by Maxshine are of 100% wool content, the customized manufacturing technics produces the material in constant fiber thickness, nap-height and density, less linting, ensure the pad in uniform quality, unlike the variances that can occur with some natural sheepskin pads
 Premium performance on abrasive action and heat-resistance. Working with high-cut wax to aggressively remove scratches and oxid, reduces the swirls and leaves a gloss finish.
 Style Options: 1. Bevel Edge (Popular) 2. Straight Edge

PREMIUM WOOL POLISHING PAD



- Art.N° MS-W150P-C1 Ø 150x22mm
- Art.N° MS-W125P-C1 Ø 125x22mm
- Art.N° MS-W80P-C1 Ø 80x12mm



- Art.N° MS-W150P-C2 Ø 150x22mm
- Art.N° MS-W125P-C2 Ø 125x22mm
- Art.N° MS-W80P-C2 Ø 80x12mm



- Art.N° MS-W150P-C3 Ø 150x22mm
 - Art.N° MS-W125P-C3 Ø 125x22mm
 - Art.N° MS-W80P-C3 Ø 80x12mm
- High Density Compress Foam



- Art.N° MS-W150P-C4 Ø 155x10mm
 - Art.N° MS-W135P-C4 Ø 130x10mm
- 100% Natural Long Hair Wool

WOOL POLISHING PAD

- Art.N° MS-W125P-C5 Ø 125-145x(6+8)mm
- Art.N° MS-W150P-C5 Ø 150-170x(6+8)mm



PREMIUM WOOL POLISHING PAD

4 PLY 100% Twisted Wool

- Art.N° MS-LB01 (Medium) 100% Natural Wool
 - Art.N° MS-LB03 (Fine) 100% Natural Wool
 - Art.N° MS-LB04 (Aggressive) 100% Natural Australian Wool
- 9" Single Side, Outside Ø 230mm, Inside Ø 180mm, Velcro, Thread: 5/8"
-
- Art.N° MS-LB02 (Medium) 100% Natural Wool
 - Art.N° MS-LB05 (Aggressive) 100% Natural Australian Wool
- 10" Double Side, Outside Ø 250mm, Thread: 5/8", M14



66

MaxShine

TRADITIONAL WOOL POLISHING PAD

- Art.N° MS-WP01-75 Ø75mm
 Art.N° MS-WP01-100 Ø100mm
 Art.N° MS-WP01-125 Ø130mm
 Art.N° MS-WP01-150 Ø150mm
 Art.N° MS-WP01-180 Ø180mm



Wrinkle
Velcro



Flat
Velcro

- Art.N° MS-WP02-75 Ø 75mm
 Art.N° MS-WP02-100 Ø 100mm
 Art.N° MS-WP02-125 Ø 130mm
 Art.N° MS-WP02-150 Ø 150mm
 Art.N° MS-WP02-180 Ø 180mm



MS-WP04 SERIES

- Art.N° MS-WP04-80 Ø 80x12mm
 Art.N° MS-WP03-125 Ø 125x12mm
 Art.N° MS-WP03-150 Ø 150x12mm



HIGH
QUALITY

WOOL POLISHING PAD



Art.N° MS-WP05 Ø 130x10mm



Art.N° MS-WP06 Ø 135x10mm



**SHEEPSKIN
NATURAL
WASH MITT**

GENUINE SHEEPSKIN WOOL WASH MITT

Art.N° MS-WWM01	Size:300x200mm
Art.N° MS-WWM02	Size:300x230mm
Art.N° MS-WWM03	Size:250x160mm
Art.N° MS-WWM04	Size:110x90mm
Art.N° MS-WWM05	Size:300x200mm
Art.N° MS-WWM06	Size:180x260mm
Art.N° MS-WWM07	Size:240x160mm
Art.N° MS-WWM08	Size:300x200mm



01



02



03



04



05



06



07



08

SHEEPSKIN WOOL WASH PAD

Art.N° MS-WWP01 Size: 9-10"



Material:100% Sheepskin Wool



CLAY PRODUCTS SERIES



CLAY BAR



- Art.N° MS-CB100-2 100g
- Art.N° MS-CB200-2 200g
- Art.N° MS-CB100-4 100g
- Art.N° MS-CB200-4 200g

CLAY PAD



- Art.N° MS-CP150 Ø 150x13mm
- Art.N° MS-CP125 Ø 125x13mm
- Art.N° MS-CP80 Ø 80x13mm



- Art.N° MS-CP150-V2 Ø 150x13mm
- Art.N° MS-CP125-V2 Ø 125x13mm
- Art.N° MS-CP80-V2 Ø 80x13mm

CLAY SPONGE BLOCK



- Art.N° MS-MCB02 Size: 11.2x6.2x3cm



- Art.N° MS-MCB03 Size: 11x7x4.5cm

CLAY TOWEL



- Art.N° MS-MCT3030 Size: 30x30cm

CLAY MITT



- Art.N° MS-MCM01 Size: 22x14cm






DETAILING TOOL BAG

Carry your DA/RO polishers, pads, and polishes, microfiber cloths, waxes from the garage to the car club or concours event in this Maxshine Detailing tool Bag.

The Maxshine Detailing tool bag is built with detailers in mind, It has a place for everything! Store your DA Polishers, buffing pads, swirl removers, waxes, and brushes...etc Compartmentalized storage space keeps everything organized and easy to find.

DETAILING TOOL BAG



Quality Stripes for Fasten the machine


Art.N° MS-DB4
 Size: 55x27x32cm
 Material:600D



Stripes For Fasten The Machine



Pockets For Polishing Pads



Pockets For Compounds



Pockets For Other Accessories

DETAILING TOOL BAG



Art.N° MS-DB1
Size: 49x25.5x30cm (no cover)
Material: 600D



Art.N° MS-DB1-C
Size: 49x25.5x30cm (with cover)
Material: 600D



Art.N° MS-DB7
Size: 24x19x22cm
Material: 1680D



Art.N° MS-DB3
Size: 42.5x24x34cm
Material: 600D



Art.N° MS-DB9
Size: 50x26x22cm
Material: 1680D

DETAILING BELT



Art.N° MS-DBT01
Including 5 small pockets, 1 belt
Flexible Combination
Perfect for detailing





DETAILING BRUSH

DETAILING BRUSH

50% Natural Bristle Hair and 50% PP Hair
Wood Handle

- Art.N° MS-WB01-25 (4#) Length:42mm Ø 25mm, 1"
- Art.N° MS-WB01-30 (6#) Length:42mm Ø 30mm, 1.2"
- Art.N° MS-WB01-35 (8#) Length:48mm Ø 35mm, 1.4"
- Art.N° MS-WB01-40 (10#) Length:48mm Ø 40mm, 1.6"



- Art.N° MS-WB02-25 (4#) Ø 25mm, 1"
 - Art.N° MS-WB02-30 (6#) Ø 30mm, 1.2"
 - Art.N° MS-WB02-35 (8#) Ø 35mm, 1.4"
 - Art.N° MS-WB02-40 (10#) Ø 40mm, 1.6"
- 50% Natural Bristle Hair and 50% PP Hair
Plastic Handle



WHEEL WOOL BRUSH

- Art.N° MS-WWB01 Length: 35cm
- Art.N° MS-WWB02 Length: 40cm
- Art.N° MS-WWB03 Length: 45cm

Art.N° MS-WWB-KIT01
Including 1pc MS-WWB01
1pc MS-WWB02 1pc MS-WWB03

Much More Aggressive, Fast To Clean Wheel!
100% Natural Sheepskin Wool!



LAMBSWOOL DETAILING DUSTER



- Art.N° MS-DD01 Wool Part: 25cm Handle Length: 60cm
- Art.N° MS-DD02 Wool Part: 30cm Handle Length: 60cm



- Art.N° MS-WWB04 Length: 27cm
- Art.N° MS-WWB05 Length: 55cm
- Art.N° MS-WWB-KIT02 (Including 1pc MS-WWB02
1pc MS-WWB04 1pc MS-WWB05)

WHEEL MICROFIBER BRUSH



- MS-MB-KIT
 - Art.N° MS-MB01 Length: 35cm
 - Art.N° MS-MB02 Length: 40cm
 - Art.N° MS-MB03 Length: 45cm
- 100% Microfiber
Much More Aggressive, High Quality Foam Inside



DRILL CARPET BRUSH



- Art.N° MS-DAB01
- Size: Ø125mm / Ø100mm / Ø 50mm
- Handle Length: 25mm



- MS-MB-KIT02
- Art.N° MS-MB05 Length: 38cm
- Art.N° MS-MB06 Length: 42cm
- Art.N° MS-MB07 Length: 48cm

TIRE BRUSH



Art.N° MS-WB09

Size:210x64mm Hair Length:25mm
Material:Plastic Handle+Soft PP/Nylon
/Horse Bristle



Art.N° MS-WB11

Length:150mm Material: PP



Art.N° MS-WB12

Length:190mm Material: PP with PP Fiber

LEATHER BRUSH



Art.N° MS-WB07

Size:170x60mm Hair Length:30mm
Material:Wooden Handle+Soft PP/Nylon/Horse Bristle



Art.N° MS-WB08

Size:150x65mm Hair Length:30mm
Material:Horse Hair



Art.N° MS-WB21

Size:170x55mm Hair Length:30mm
Material:Wooden Handle+100%Horsehair



Art.N° MS-WB13

Size:120x40x10mm Hair Length:20mm
Material:Wooden Handle+Soft Bristle



Art.N° MS-WB20

Size:120x40x10mm Hair Length:20mm
Material: Wooden Handle+100%Horsehair



Art.N° MS-WB22

Handle Length: 115mm Hair Length: 45mm
Material: PP+Nylon 612, Electrostatic wool

CAR DETAILING BRUSH

CAR CARPET BRUSH



Art.N° MS-WB26

Size:160x50mm
Hair Length: 30mm
Material: PP with TPR



WHEEL CLEANING BRUSH

89



Art.N° MS-WB17 450mm

Art.N° MS-WB18 300mm

Durable, flexible, and safe to use on all wheel types.


Easily reaches delicate nooks and crannies.

Extremely Flexible.



SPEED WHEEL BRUSH

90



Art.N° MS-WB23 360mm



Art.N° MS-WB24 400mm



DETAILING ACCESSORIES

Make things easy by yourself and get the right tools! You've already spent enough on your waxes and polishes, you might as well get the right accessories to properly clean and protect your car. We have sourced the finest range of accessories that compliment the entire car cleaning process.



HAND SANDING BLOCK



Art.N° MS-SB90 Ø 90mm
Art.N° MS-SB125 Ø 125mm



Art.N° MS-SB140 Size: 140x60mm

HAND PAD HOLDER



Art.N° MS-PHD115 Ø 115mm
Art.N° MS-PHD125 Ø 125mm
Art.N° MS-PHD150 Ø 150mm

ERASER REMOVE PAD



Art.N° MS-ERP84 Ø 84mm
Thread: 5/16" -24 Thickness: 15mm Max.RPM: 4000

FOLDING WASH BUCKET



Art.N° MS-PB02 15L, 20L

DETAILING WASH BUCKET




Art.N° MS-PB01 13L, 20L

DETAILER'S ROLLING CREEPER

Art.N° MS-DRC01

Material: Steel+PU+Sponge Min. Height: 415mm Max. Height: 550mm



Very useful and take a rest
for detailing car



PVA SYNTHETIC CHAMOIS



Flat Style

Art.N° MS-PVA4366 Size:43x66cm
Art.N° MS-PVA3243 Size:32x43cm

PVA SYNTHETIC CHAMOIS



Waffle

Art.N° MS-PVA4366W Size:43x66cm
Art.N° MS-PVA3243W Size:32x43cm

CLEANING BLADE



Art.N° MS-SWB02
Size:310x95mm
Material:silicon

PVA CHAMOIS SPONGE



Art.N° MS-PCS01
Size:17.5x7.5x3.5cm/12.5x8.5x3.5cm/11.5x5.5x3.5cm



FOAM WASH GUN



Art.N° MS-FWG01

Material: PP, ABS Body with copper connector

Cup Volume: 1 L

Water Pressure: 40-90PSI

Ratio: 5 ratio settings to suit your needs



Art.N° MS-FWG02

Material: PP, ABS Body with copper connector

Cup Volume: 0.9 L

Water Pressure: 40-90PSI

Ratio: 5 ratio settings to suit your needs



SNOW FOAM LANCE



Art.N° MS-FL01

Material: PP with copper connector

Cup Volume: 1 L



Art.N° MS-FL03

Material: PP with copper connector

Cup Volume: 1 L

Complete with your choice of connectors, such as Karcher K, Alto, Bosch, Lavor, M22, Karcher HD, etc.



Art.N° MS-FL04

Material: PP with copper connector

Cup Volume: 1 L

POLISHER HOLDER



Art.N° MS-PH02
Size: 35x65x7.5cm
MADE OF QUALITY IRON
DOUBLE POSITION



Protect Paint Of Polisher



Hold For Small Polisher



Customized design is available



Art.N° MS-PH01
Size: 20x65x7.5cm
MADE OF QUALITY IRON
SINGLE POSITION



Hold For Small Polisher



Customized design is available

COMPOUND HOLDER

101



Art.N° MS-CH01
Length: 460 mm
Width: 100 mm
Height: 100 + 50 mm
Material: Iron



Customized design is available

COMPOUND HOLDER

102



Art.N° MS-CH02
Length: 540 mm
Width: 120 mm
Height: 170mm
Material: Iron



85mm



Art.N° MS-CH03
Length: 700 mm
Width: 135 mm
Height: 50 + 25 mm
Material: Iron



Customized design is available

COATING DEMONSTRATION UNIT



Art.N° MS-CDU01

Length:330mm
Width: 270 mm
High:355mm



FOAM PAD HOLDER



5" FOAM PADS HOLER

Art.N° MS-FPH01

High: 350mm Dia: 140mm
Material: Iron



6" FOAM PADS HOLER

Art.N° MS-FPH02

High: 350mm Dia: 170mm
Material: Iron

MINI POLISHING SYSTEM

Art.N° MS-MN01

Cable:1m Thread: M14,5/8"



(Including)



Red Finishing Pad
Ø 1.5x1cm(3pcs)
Ø 2.6x1.2cm(3pcs)

Green Polishing Pad
Ø 1.5x1cm(3pcs)
Ø 2.6x1.2cm(3pcs)

Felt Polishing Pad
Ø 1.5x0.5cm(3pcs)

Long Wool Pad
Ø 2.5cm(3pcs)



Orange Polishing Pad
Size:3x4.5cm(3pcs)



Orange Polishing Pad
Size:3x3cm(3pcs)



Backing Pad
Ø 1.5cm(1pc)
Ø 2.5cm(1pc)



Adaptor M14 or 5/8" (1pc)
Small Wrench (1pc)



Small Bag (1pc)



ASH VACUUM CLEANER

105



Art.N° MS-VC800-10L

Voltage: 110-240V Frequency: 60Hz/50HZ Power: 800W Vacuity: ≥ 19 KPA Noise: ≤ 72 DB

Airflow Rate: 1.5M³/MIN Tank 10L

Basic Accessories sets:

- * 3pcs Plastic tube
- * 1.5M hose assembly
- * 3.5M total cable
- * Floor brush
- * Cloth filter
- * Round brush
- * crevice nozzle



Art.N° MS-VC1200-18L

Voltage: 110-240V

Frequency: 60Hz/ 50HZ

Power: 1200W

Vacuity: ≥ 19 KPA

Noise: ≤ 76 DB

Airflow Rate: 1.1M³/MIN

Options: 15L/18L/20L

Basic Accessories sets:

- * 15CM Plastic tube
- * Plastic Crevice Nozzle
- * 3M Metal hose
- * 4M cable
- * With Plastic Wheels
- * 18L Black painting tank(SPCC, thickness: 0.4mm)
- * Fiberglass fire-retardant filter on tank or dust shaking function